



[Home](#) > [Administer](#) > [Site building](#)

Modules

List

Uninstall

Operating in off-line mode.

Modules are plugins that extend Drupal's core functionality. Enable modules by selecting the *Enabled* checkboxes below and clicking the *Save configuration* button. Once a module is enabled, new [permissions](#) may be available. To reduce server load, modules with their *Throttle* checkbox selected are temporarily disabled when your site becomes extremely busy. (Note that the *Throttle* checkbox is only available if the Throttle module is enabled.)

It is important that [update.php](#) is run every time a module is updated to a newer version.

You can find all administration tasks belonging to a particular module on the [administration by module page](#).

To extend the functionality of your site, a number of [contributed modules](#) are available.

To clear all caches, click the button on the [Performance page](#).

See the [available updates](#) page for information on installed modules and themes with new versions released.

Administration

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Administration menu	6.x-1.8	Provides a dropdown menu to most administrative tasks and other common destinations (to users with the proper permissions).

CCK

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	AudioField	6.x-1.2	Adds audio widget for uploading and playing audio files. Depends on: FileField (enabled), Content (enabled)
<input checked="" type="checkbox"/>	Content	6.x-2.9	Allows administrators to define new content types. Required by: Content Copy (enabled), Content Permissions (disabled), Date (enabled), Date Tools (enabled), Email (enabled), Embedded Media Field (enabled), Fieldgroup (enabled), FileField (enabled), ImageField (enabled), CCK Shortcodes (disabled), Link (enabled), Node Reference (enabled), Number (enabled), Option Widgets (enabled), Text (enabled), User Reference (enabled), AudioField (enabled), Embedded Audio Field (enabled), Embedded Media Bonus Pack (enabled), Embedded Image Field (enabled), Embedded Inline Media (enabled), Embedded Media Thumbnail (enabled), Embedded Video Field (enabled), Embedded Wave Field (enabled), FileField Meta (disabled), CCK Text Formatter (disabled), Embedded Media Field Integration (enabled), FileField Integration (enabled), Media: Flickr

(disabled), Media: Flickr - XSPF Playlist (disabled), Media: Smugmug Gallery (disabled), Media: Smugmug Image (disabled), Media: Smugmug Video (disabled), Media: Vimeo (enabled), Media: YouTube (enabled)

<input checked="" type="checkbox"/>	Content Copy	6.x-2.9	Enables ability to import/export field definitions. Depends on: Content (enabled)
<input type="checkbox"/>	Content Permissions	6.x-2.9	Set field-level permissions for CCK fields. Depends on: Content (enabled)
<input type="checkbox"/>	Content Templates	6.x-1.0	Create templates to customize output of teaser and body content.
<input checked="" type="checkbox"/>	Email	6.x-1.2	Defines an email field type for cck Depends on: Content (enabled)
<input checked="" type="checkbox"/>	Fieldgroup	6.x-2.9	Create display groups for CCK fields. Depends on: Content (enabled)
<input checked="" type="checkbox"/>	FileField	6.x-3.10	Defines a file field type. Depends on: Content (enabled) Required by: AudioField (enabled), FileField Meta (disabled), ImageField (enabled), FileField Integration (enabled)
<input type="checkbox"/>	FileField Meta	6.x-3.10	Add metadata gathering and storage to FileField. Depends on: FileField (enabled), Getid3 (missing), Content (enabled)
<input checked="" type="checkbox"/>	ImageField	6.x-3.10	Defines an image field type. Depends on: Content (enabled), FileField (enabled)
<input checked="" type="checkbox"/>	Link	6.x-2.9	Defines simple link field types. Depends on: Content (enabled)
<input checked="" type="checkbox"/>	Node Reference	6.x-2.9	Defines a field type for referencing one node from another. Depends on: Content (enabled), Text (enabled), Option Widgets (enabled)
<input checked="" type="checkbox"/>	Number	6.x-2.9	Defines numeric field types. Depends on: Content (enabled)
<input checked="" type="checkbox"/>	Option Widgets	6.x-2.9	Defines selection, check box and radio button widgets for text and numeric fields. Depends on: Content (enabled) Required by: Node Reference (enabled), User Reference (enabled)
<input checked="" type="checkbox"/>	Text	6.x-2.9	Defines simple text field types. Depends on: Content (enabled) Required by: CCK Text Formatter (disabled), Node Reference (enabled), User Reference (enabled)
<input checked="" type="checkbox"/>	User Reference	6.x-2.9	Defines a field type for referencing a user from a node. Depends on: Content (enabled), Text (enabled), Option Widgets (enabled)

Charting

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Chart API	6.x-1.3+18-dev	Google chart API integration. Required by: Chart API Views Integration (disabled), Google Analytics Reports (enabled), Drupal System Charting (enabled)
	Chart API	6.x-	Provides "Google Chart" Menu style

<input type="checkbox"/>	Views Integration	1.3+18-dev	Provides a "Google Chart" views style. Depends on: Chart API (enabled), Views (enabled), Views_calc (missing)
<input checked="" type="checkbox"/>	Drupal System Charting	6.x-1.3+18-dev	Charting for various core modules. Depends on: Chart API (enabled)

▼ Core - optional

Enabled	Name	Version	Description
<input type="checkbox"/>	Aggregator	6.26	Aggregates syndicated content (RSS, RDF, and Atom feeds).
<input type="checkbox"/>	Blog	6.26	Enables keeping easily and regularly updated user web pages or blogs.
<input type="checkbox"/>	Blog API	6.26	Allows users to post content using applications that support XML-RPC blog APIs.
<input type="checkbox"/>	Book	6.26	Allows users to structure site pages in a hierarchy or outline.
<input type="checkbox"/>	Color	6.26	Allows the user to change the color scheme of certain themes.
<input type="checkbox"/>	Comment	6.26	Allows users to comment on and discuss published content. Required by: Forum (disabled), Tracker (disabled)
<input type="checkbox"/>	Contact	6.26	Enables the use of both personal and site-wide contact forms.
<input type="checkbox"/>	Content translation	6.26	Allows content to be translated into different languages. Depends on: Locale (disabled)
<input type="checkbox"/>	Database logging	6.26	Logs and records system events to the database.
<input type="checkbox"/>	Forum	6.26	Enables threaded discussions about general topics. Depends on: Taxonomy (disabled), Comment (disabled)
<input checked="" type="checkbox"/>	Help	6.26	Manages the display of online help.
<input type="checkbox"/>	Locale	6.26	Adds language handling functionality and enables the translation of the user interface to languages other than English. Required by: Date Locale (disabled), Content translation (disabled)
<input checked="" type="checkbox"/>	Menu	6.26	Allows administrators to customize the site navigation menu.
<input type="checkbox"/>	OpenID	6.26	Allows users to log into your site using OpenID.
<input checked="" type="checkbox"/>	Path	6.26	Allows users to rename URLs. Required by: Pathauto (enabled)
<input checked="" type="checkbox"/>	PHP filter	6.26	Allows embedded PHP code/snippets to be evaluated.
<input type="checkbox"/>	Ping	6.26	Alerts other sites when your site has been updated.
<input type="checkbox"/>	Poll	6.26	Allows your site to capture votes on different topics in the form of multiple choice questions.
<input type="checkbox"/>	Profile	6.26	Supports configurable user profiles.
<input checked="" type="checkbox"/>	Search	6.26	Enables site-wide keyword searching.
<input type="checkbox"/>	Statistics	6.26	Logs access statistics for your site.
<input type="checkbox"/>	Syslog	6.26	Logs and records system events to syslog.

<input type="checkbox"/>	Taxonomy	6.26	Enables the categorization of content. Required by: Forum (disabled)
<input type="checkbox"/>	Throttle	6.26	Handles the auto-throttling mechanism, to control site congestion.
<input type="checkbox"/>	Tracker	6.26	Enables tracking of recent posts for users. Depends on: Comment (disabled)
<input type="checkbox"/>	Trigger	6.26	Enables actions to be fired on certain system events, such as when new content is created.
<input checked="" type="checkbox"/>	Update status	6.26	Checks the status of available updates for Drupal and your installed modules and themes.
<input checked="" type="checkbox"/>	Upload	6.26	Allows users to upload and attach files to content.

▶ Core - required

▼ Date/Time

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Calendar	6.x-2.4	Views plugin to display views containing dates as Calendars. Depends on: Views (enabled), Date API (enabled), Date Timezone (enabled) Required by: Calendar iCal (enabled), Calendar Multiday (disabled), Calendar Popup (enabled)
<input checked="" type="checkbox"/>	Calendar iCal	6.x-2.4	Adds ical functionality to Calendar views. Depends on: Views (enabled), Date API (enabled), Calendar (enabled), Date Timezone (enabled)
<input type="checkbox"/>	Calendar Multiday	6.x-2.4	Use the calendar multiday display as an alternative to the standard display. (BETA version) Depends on: Calendar (enabled), Views (enabled), Date API (enabled), Date Timezone (enabled)
<input checked="" type="checkbox"/>	Calendar Popup	6.x-2.4	Replaces the links to calendar items with a javascript popup that gracefully regresses if javascript is not enabled Depends on: Calendar (enabled), Views (enabled), Date API (enabled), Date Timezone (enabled)
<input checked="" type="checkbox"/>	Date	6.x-2.9	Defines CCK date/time fields and widgets. Depends on: Content (enabled), Date API (enabled), Date Timezone (enabled) Required by: Date Tools (enabled)
<input checked="" type="checkbox"/>	Date API	6.x-2.9	A Date API that can be used by other modules. Required by: Calendar (enabled), Calendar iCal (enabled), Date (enabled), Date Locale (disabled), Date PHP4 (disabled), Date Popup (enabled), Date Repeat API (enabled), Date Timezone (enabled), Calendar Multiday (disabled), Date Tools (enabled), Calendar Popup (enabled)
<input type="checkbox"/>	Date Locale	6.x-2.9	Allows the site admin to configure multiple formats for date/time display to tailor dates for a specific locale or audience. Depends on: Date API (enabled), Locale (disabled)
<input type="checkbox"/>	Date PHP4	6.x-2.9	Emulate PHP 5.2 date functions in PHP 4.x, PHP 5.0, and PHP 5.1. Required when using the Date API with PHP versions less than PHP 5.2. Depends on: Date API (enabled)
<input checked="" type="checkbox"/>	Date Popup	6.x-2.9	Enables jquery popup calendars and time entry widgets for selecting dates and times. Depends on: Date API (enabled), Date Timezone (enabled)
<input checked="" type="checkbox"/>	Date Repeat	6.x-2.9	A Date Repeat API to calculate repeating dates and times from iCal rules.

<input checked="" type="checkbox"/>	Repeat API	6.x-2.9	Depends on: Date API (enabled)
<input checked="" type="checkbox"/>	Date Timezone	6.x-2.9	Needed when using Date API. Overrides site and user timezone handling to set timezone names instead of offsets. Depends on: Date API (enabled) Required by: Calendar (enabled), Date (enabled), Date Popup (enabled), Calendar iCal (enabled), Calendar Multiday (disabled), Date Tools (enabled), Calendar Popup (enabled)
<input checked="" type="checkbox"/>	Date Tools	6.x-2.9	Tools to import and auto-create dates and calendars. Depends on: Content (enabled), Date (enabled), Date API (enabled), Date Timezone (enabled)

ImageCache

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	ImageAPI	6.x-1.10	ImageAPI supporting multiple toolkits. Required by: ImageCache (enabled), ImageCache UI (enabled)
<input type="checkbox"/>	ImageAPI GD2	6.x-1.10	Uses PHP's built-in GD2 image processing support.
<input checked="" type="checkbox"/>	ImageAPI ImageMagick	6.x-1.10	Command Line ImageMagick support.
<input checked="" type="checkbox"/>	ImageCache	6.x-2.0-rc1	Dynamic image manipulator and cache. Depends on: ImageAPI (enabled) Required by: ImageCache UI (enabled)
<input checked="" type="checkbox"/>	ImageCache UI	6.x-2.0-rc1	ImageCache User Interface. Depends on: ImageCache (enabled), ImageAPI (enabled)

JW Player

Enabled	Name	Version	Description
<input type="checkbox"/>	CCK Shortcodes	6.x-1.7	Enables support for the JW Player Module shortcode in CCK fields. This is experimental. Depends on: JW Player Module (enabled), Content (enabled), jQuery UI (enabled)
<input type="checkbox"/>	CCK Text Formatter	6.x-1.7	Enables a formatter for CCK text fields that processes the JW Player Module shortcode. Depends on: JW Player Module (enabled), Text (enabled), jQuery UI (enabled), Content (enabled)
<input checked="" type="checkbox"/>	Embedded Media Field Integration	6.x-1.7	Embed the JW Player using an Embedded Media Field. Depends on: JW Player Module (enabled), Embedded Video Field (enabled), jQuery UI (enabled), Embedded Media Field (enabled), Content (enabled)
<input checked="" type="checkbox"/>	FileField Integration	6.x-1.7	Embed the JW Player using a FileField. Depends on: JW Player Module (enabled), FileField (enabled), jQuery UI (enabled), Content (enabled)
<input checked="" type="checkbox"/>	JW Player Module	6.x-1.7	Embed a JW Player for Flash in your Nodes. Depends on: jQuery UI (enabled) Required by: CCK Shortcodes (disabled), CCK Text Formatter (disabled), Embedded Media Field Integration (enabled), FileField Integration (enabled)

Media

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Embedded Audio Field	6.x-2.5	Defines a field type for displaying third party music, podcasts, and other audio, such as podOmatic and Odeo. Depends on: Embedded Media Field (enabled), Content (enabled)
<input checked="" type="checkbox"/>	Embedded Image Field	6.x-2.5	Defines a field type for displaying images from third party providers, such as Flickr or Photobucket. Depends on: Embedded Media Field (enabled), Content (enabled) Required by: Media: Smugmug Image (disabled)
<input checked="" type="checkbox"/>	Embedded Inline Media	6.x-2.5	Allows users to embed media into text-areas. Depends on: Embedded Media Field (enabled), Embedded Video Field (enabled), Content (enabled)
<input checked="" type="checkbox"/>	Embedded Media Bonus Pack	6.x-2.5	Provides extra field information for embedded media fields. Depends on: Embedded Media Field (enabled), Content (enabled)
<input checked="" type="checkbox"/>	Embedded Media Field	6.x-2.5	Provides an engine for modules to integrate various 3rd party media content providers. Depends on: Content (enabled) Required by: Embedded Audio Field (enabled), Embedded Media Bonus Pack (enabled), Embedded Image Field (enabled), Embedded Inline Media (enabled), Embedded Media Thumbnail (enabled), Embedded Video Field (enabled), Embedded Wave Field (enabled), Media: Vimeo (enabled), Media: YouTube (enabled), Embedded Media Field Integration (enabled), Media: Flickr (disabled), Media: Flickr - XSPF Playlist (disabled), Media: Smugmug Gallery (disabled), Media: Smugmug Image (disabled), Media: Smugmug Video (disabled)
<input checked="" type="checkbox"/>	Embedded Media Thumbnail	6.x-2.5	Allows custom thumbnails for Embedded Media Fields. Depends on: Embedded Media Field (enabled), Content (enabled)
<input checked="" type="checkbox"/>	Embedded Video Field	6.x-2.5	Defines a field type for displaying third party videos, such as YouTube and Google Video. Depends on: Embedded Media Field (enabled), Content (enabled) Required by: Embedded Inline Media (enabled), Embedded Media Field Integration (enabled), Media: Flickr (disabled), Media: Smugmug Gallery (disabled), Media: Smugmug Video (disabled), Media: Vimeo (enabled), Media: YouTube (enabled), Media: Flickr - XSPF Playlist (disabled)
<input checked="" type="checkbox"/>	Embedded Wave Field	6.x-2.5	Defines a field type for displaying waves from third party providers, such as Google or ... Depends on: Embedded Media Field (enabled), Content (enabled)
<input type="checkbox"/>	Media: Flickr	6.x-1.12	Embedded Video Field provider file for Flickr.com photosets. Depends on: Embedded Video Field (enabled), Embedded Media Field (enabled), Content (enabled) Required by: Media: Flickr - XSPF Playlist (disabled)
<input type="checkbox"/>	Media: Flickr -	6.x-1.12	XSPF Playlist Creator for Flickr.com photosets. Depends on: Media: Flickr (disabled), Embedded Video Field (enabled), Embedded Media Field

	XSPF Playlist Media:		(enabled), Content (enabled)
<input type="checkbox"/>	Smugmug Gallery	6.x-1.1	Embedded Media Field provider file for Smugmug.com gallery displays Depends on: Embedded Video Field (enabled), Embedded Media Field (enabled), Content (enabled)
<input type="checkbox"/>	Smugmug Image	6.x-1.1	Embedded Image Field provider file for Smugmug.com. Depends on: Embedded Image Field (enabled), Embedded Media Field (enabled), Content (enabled)
<input type="checkbox"/>	Smugmug Video	6.x-1.1	Embedded Video Field provider file for Smugmug.com. Depends on: Embedded Video Field (enabled), Embedded Media Field (enabled), Content (enabled)
<input checked="" type="checkbox"/>	Media: Vimeo	6.x-1.1	Provides Vimeo support to the Embedded Media Field module. Depends on: Embedded Media Field (enabled), Embedded Video Field (enabled), Content (enabled)
<input checked="" type="checkbox"/>	Media: YouTube	6.x-1.3	Provides YouTube support to the Embedded Media Field module. Depends on: Embedded Media Field (enabled), Embedded Video Field (enabled), Content (enabled)

▼ [OAuth](#)

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	OAuth	6.x-3.0-beta4	Provides OAuth functionality Depends on: Autoload (enabled) Required by: Google Analytics API (enabled), OAuth Provider UI (enabled), Google Analytics Reports (enabled)
<input checked="" type="checkbox"/>	OAuth Provider UI	6.x-3.0-beta4	Provides a UI for when OAuth is acting as a provider. Depends on: OAuth (enabled), Autoload (enabled)

▼ [Other](#)

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Autoload	6.x-2.1	Helper module to autoload classes under PHP 5. Required by: OAuth (enabled), Google Analytics API (enabled), Google Analytics Reports (enabled), OAuth Provider UI (enabled)
<input type="checkbox"/>	Backup and Migrate	6.x-2.4	Backup or migrate the Drupal Database quickly and without unnecessary data.
<input checked="" type="checkbox"/>	invisimail	6.x-1.3	Attempts to thwart spam-bots by encoding email addresses. Depends on: Filter (enabled)
<input checked="" type="checkbox"/>	Lightbox2	6.x-1.11	Enables Lightbox2 for Drupal
<input checked="" type="checkbox"/>	Pathauto	6.x-1.6	Provides a mechanism for modules to automatically generate aliases for the content they manage. Depends on: Path (enabled), Token (enabled)

<input checked="" type="checkbox"/>	Tabs	6.x-1.3	A helper module for creating tabbed pages.
<input checked="" type="checkbox"/>	Token	6.x-1.18	Provides a shared API for replacement of textual placeholders with actual data. Required by: Pathauto (enabled), TokenSTARTER (disabled), Token actions (disabled)
<input type="checkbox"/>	Token actions	6.x-1.18	Provides enhanced versions of core Drupal actions using the Token module. Depends on: Token (enabled)
<input type="checkbox"/>	TokenSTARTER	6.x-1.18	Provides additional tokens and a base on which to build your own tokens. Depends on: Token (enabled)
<input type="checkbox"/>	Transliteration	6.x-2.1	Provides transliteration for UTF-8 text input and sanitizes file names.

Statistics

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Google Analytics API	6.x-1.1	API to access statistics from the Google Analytics Data Export API. Depends on: OAuth (enabled), Autoload (enabled) Required by: Google Analytics Reports (enabled)
<input checked="" type="checkbox"/>	Google Analytics Reports	6.x-1.1	Provides interface to access Google Analytics API statistics. Depends on: Google Analytics API (enabled), Chart API (enabled), OAuth (enabled), Autoload (enabled)

User interface

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	jQuery UI	6.x-1.5	Provides the jQuery UI plug-in to other Drupal modules. Required by: JW Player Module (enabled), CCK Shortcodes (disabled), CCK Text Formatter (disabled), Embedded Media Field Integration (enabled), FileField Integration (enabled)
<input checked="" type="checkbox"/>	Wysiwyg	6.x-2.4	Allows users to edit contents with client-side editors.

Views

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Insert view	6.x-2.0	Input filter which allows to embed views. Depends on: Views (enabled)
<input checked="" type="checkbox"/>	Views	6.x-2.16	Create customized lists and queries from your database. Required by: Calendar (enabled), Calendar iCal (enabled), Calendar Multiday (disabled), Chart API Views Integration (disabled), Insert view (enabled), Calendar Popup (enabled), Views exporter (enabled), Views Slideshow (enabled), Views UI (enabled), Views Slideshow: SingleFrame (enabled), Views Slideshow: ThumbnailHover (enabled)
<input checked="" type="checkbox"/>	Views exporter	6.x-2.16	Allows exporting multiple views at once. Depends on: Views (enabled)
<input type="checkbox"/>	Views		Provides a View style that displays rows as a jQuery slideshow. Depends on: Views (enabled)

<input checked="" type="checkbox"/>	Slideshow	6.x-2.4	Required by: Views Slideshow: SingleFrame (enabled), Views Slideshow: ThumbnailHover (enabled)
<input checked="" type="checkbox"/>	Views Slideshow: SingleFrame	6.x-2.4	Adds a Single Frame slideshow mode to Views Slideshows. Depends on: Views Slideshow (enabled), Views (enabled)
<input checked="" type="checkbox"/>	Views Slideshow: ThumbnailHover	6.x-2.4	Adds a Thumbnail Hover slideshow mode to Views Slideshows. Depends on: Views Slideshow (enabled), Views (enabled)
<input checked="" type="checkbox"/>	Views UI	6.x-2.16	Administrative interface to views. Without this module, you cannot create or edit your views. Depends on: Views (enabled)

Save configuration

